

Stable Lifting with Fixing Bolts & Swivel Hook


FLH

LIFTING HOOK FOR FORKLIFT


CHECK!



Operation manual & parts drawing



fixing bolt
M16 width across flats 24mm
FLH1 : 2 pcs
FLH2 : 4 pcs



Example of use



Features

- Balance with hook dedicated to forklifts.
- Can be used immediately just by setting to the forklift jaws.
- Fixing can be done very simply by tightening the fixing bolts.
- The swivel hook with latch allows free hook direction.
- ⚠ Do not turn around the hook while lifting (loading).

Item No.	Rated capacity (ton)	Applicable forklift claw size(mm)		N.W. (kg)
		Width	Thickness	
FLH1	1	70~120	15~40	12
FLH2	2	120~150	38~65	24

For Various Types of Rails


RGC

RAIL CLAMP

CHECK!



Operation manual & parts drawing




Features

⚠ Always lift a load at 2 or more points for safety.

- Clamp dedicated to various types of rail for railroads.

Releasing lock mechanism



Position the clamp above the rail as shown in the drawing. Pull the shackle while raising the lever to tighten the clamp.

Tightening lock mechanism



When the lever is released, the tightening lock is set automatically, and you can lift the rail as shown in the drawing.

Item No.	Rated capacity (ton)	Applicable rail (Nominal)	Application	Size (mm)		N.W. (kg)
				H	L	
RGC10	1	6kg rail	Rails for civil engineering trolley	198	205	5
		9kg rail				
		10kg rail				
RGC15	1	12kg rail		198	205	5
		15kg rail				
		22kg rail				
RGC30	1	30kg rail	Small to medium railroad rails	198	205	5
		37kg rail				

Item No.	Rated capacity (ton)	Applicable rail (Nominal)	Application	Size (mm)		N.W. (kg)
				H	L	
RGC50	1	40kgN rail	Small to medium railroad rails	198	205	5
		50kg rail				
		50kgN rail	Railway, subway and major railroad rails			
		60kg rail	Shinkansen rails			
RGC75	1	CR73K rail	Crane rails	228	254	6
		CR74K rail	CR-73K (old size rails)			
RGC100	1	CR100K rail	Crane rails	234	264	6
		CR101K rail	CR-100K (old size rails)			